



Catalina



BEACH WEST

DESIGN GUIDELINES

1 AUGUST 2023

Catalina

BEACH WEST

1	WELCOME TO CATALINA BEACH WEST	3		
1.1	VISION FOR CATALINA BEACH WEST	4	2.3	DURABILITY 13
1.2	PURPOSE OF THE DESIGN GUIDELINES	5	2.4	GARAGE 13
1.3	HOW TO USE THE DESIGN GUIDELINES	6	2.5	ROOF COVER 14
1.4	LOCAL DEVELOPMENT AND STRUCTURE PLANS	6	2.6	SERVICES AND AUXILLARY STRUCTURES 15
1.5	COMPLIANCE	7	2.7	FENCING 16
1.6	APPROVAL APPLICATION	7	2.8	LANDSCAPING 17
2	DESIGN REQUIREMENTS	8	3	SITE PLANNING 18
2.1	ELEVATIONS	9	3.1	PASSIVE SOLAR DESIGN 18
2.2	MATERIALS AND COLOURS	11	4	ENVIRONMENTAL PERFORMANCE 19
2.2.1	WALL MATERIALS AND COLOURS	11	5	APPENDICES 20
2.2.2	ROOF MATERIALS & COLOURS	12	5.1	CHECKLIST OF MANDATORY REQUIREMENTS 20



1 WELCOME TO CATALINA BEACH WEST

Situated on the doorstep to the Indian Ocean, Catalina Beach West is part of the master planned community at Catalina.

Catalina is a development of three precincts that will encompass family friendly design in a parkland setting at Catalina Central; coastal living at Catalina Beach; and an urban lifestyle at Catalina Green. The three precincts will be linked by a unique pedestrian and cycle orientated 'greenlink' connecting the beach with the Clarkson Train Station.

1.1 VISION FOR CATALINA BEACH WEST

The vision for Catalina Beach West is to create a sophisticated coastal community underpinned by a relaxed seaside lifestyle.

Contemporary, innovative architecture is encouraged in the design of stylish homes responding to a coastal environment and maximising ocean vistas.

There are several key features that reflect the contemporary Australian lifestyle and are considered to be essential design elements in this oceanside precinct. They are:

- Verandahs and alfresco areas that provide quality private open space and extend upon indoor living spaces in both front and rear setbacks;
- Materials that reflect the coastal position of the precinct i.e. weatherboards and lightweight cladding, natural stone and timber elements, and steel posts, awnings, framing and balustrade elements;
- Eaves, overhangs, pergolas, awnings and external louvres to respond to the Catalina Beach West microclimate, and to shade and protect windows and external living spaces such as verandahs and courtyards in both the front and rear setbacks where possible;
- Window, doors and skylights appropriately oriented to admit direct sun and allow cross ventilation; and
- Elements that will contribute to the distinctive character of Catalina Beach West include building scale, articulated streetscapes, private open space courtyards, balconies, coastal colours and materials.




1.2 PURPOSE OF THE DESIGN GUIDELINES

The Design Guidelines apply to residential lots within Catalina Beach West (refer opposite) and will help you and your chosen builder to design a high quality home that fits in with the aesthetic of the estate.

The appearance of housing, front yards and verges contribute to community pride and property values. The Design Guidelines provide helpful information to assist you to design your new home.

The Design Guidelines are a framework for design decisions and provide for:

- A cohesive community
- Attractive streetscapes
- Quality housing design
- Appropriate architectural Styles
- Individuality
- Community safety and security
- Climate responsive design
- Confidence in your investment



■ Lots within this version of the Catalina Beach West Design Guidelines

1.3 HOW TO USE THE DESIGN GUIDELINES

To ensure your home meets the requirements of the Design Guidelines, your Contract of Sale specifies that you must submit your building plans for Satterley's approval prior to lodging plans with the City of Wanneroo. A checklist for mandatory requirements has been included at the end of this document.

The Design Guidelines include mandatory elements that must be complied with and recommended design elements that you are strongly encouraged to consider.

1.4 LOCAL DEVELOPMENT AND STRUCTURE PLANS

In addition to these Design Guidelines, a Local Structure Plan (LSP) and Local Development Plans (LDP's) have been prepared over some lots within Catalina Beach West. The LSP and LDP's set out permissible variations to the Residential Design Codes that have been adopted by the City of Wanneroo. Compliance with the LSP and LDP's is assessed by the City of Wanneroo as part of your application for Development Approval and/or Building Permit.

The LSP and LDP's identify requirements for a number of items, including but not limited to the following;

- Dwelling orientation
- Building setbacks
- Public open space interface
- Private open space and outdoor living areas
- Vehicle access and garage locations
- Boundary Walls
- Visual Privacy
- Design for Climate



1.5 COMPLIANCE

Satterley's approval ensures all home-owners meet the Design Guidelines mandatory requirements. Compliance with mandatory design measures (Design Requirements) is a contractual obligation. City of Wanneroo approval ensures compliance with statutory and policy requirements.

Individuality, architectural expression and innovation are promoted. Alternative designs will be considered where the vision of Catalina Beach West is maintained. Approval of alternative designs does not set a precedent.

The Design Guidelines must be read in conjunction with Catalina Beach Local Development Plans as approved by the City of Wanneroo, local laws and policies, Residential Design Codes of Western Australia (R Codes) and other statutory requirements. Satterley does not warrant the City of Wanneroo will approve a house plan if it satisfies these Design Guidelines.

1.6 APPROVAL APPLICATION

The Home Owner or Builder shall submit to Satterley (via plans@satterley.com.au) a 'PDF' set of the following documents:

- Site plan (showing levels; location of dwelling and garage; boundary setback dimensions; drying yard and bin store; location of all services and any solar panels and air conditioner compressor unit; all dividing fences and any front fence and side boundary fence if a corner lot; any new retaining walls and any other structures);
- Floor plan;
- Elevations (showing ceiling height of front rooms if single storey and the roof pitch);
- Exterior materials and colours schedule (walls, roof and trims); and
- Fencing plans (if applicable).

All drawings shall include a north point and annotation.



Note: The Home Owner or Builder is responsible for checking the site conditions prior to design work, particularly the location and design of any existing infrastructure such as retaining walls, fences and utilities.



2 DESIGN REQUIREMENTS

These Design Guidelines are not a substitute for other relevant documentation including but not limited to the Residential Design Codes and the Building Code of Australia (BCA).

Note: A copy of the Tamala Park Local Structure Plan (LSP 79) including the Variations to the Acceptable Development Criteria of the Residential Design Codes is available on the City of Wanneroo website.

2.1 ELEVATIONS

All dwellings must address the public street/s in a clear and attractive manner. Buildings are to be designed to promote a positive relationship to the streetscape and the front elevation is to be articulated with clearly defined architectural elements.

Facades should respond to the local climate, explore different elevational treatments related to orientation, incorporate external shading components such as verandahs and utilise high quality, durable materials and finishes suitable for coastal conditions.

Catalina Beach West's location and potential for coastal views means that a number of Home Owners will build two storey homes. In order to create greater street presence the front elevation of a single storey dwelling should have rooms with ceiling heights greater than the standard 2.4 metres. Additional ceiling height also allows for a light filled atmosphere to rooms and facilitates easier installation of ceiling fans to provide air movement on hot days.

All front elevations are to be articulated such that the mass of buildings is minimised by variations in walls, materials, openings and roof lines resulting in the creation of shadows and depth to create visual interest. Forms of articulation include feature walls, steel and natural timber posts, feature windows, entries, porticos, balconies, verandahs, pergolas, screens, awnings, and a combination of external materials.

ACCEPTABLE ELEVATIONS



Architectural feature (portico) articulating front facade.



Verandah with separate architectural roof feature.



Upper levels to two storey dwelling addressing both elevations.



Architectural features (portico & blade wall) articulating front facade



Balcony providing surveillance of adjacent public open space



Architectural features creating visual interest and reducing sense of building mass

MANDATORY REQUIREMENTS

- A **minimum of three** architectural features must be used in the primary street elevation (excludes windows and doors). These may include:
 - ◇ Feature entry statement including porch/portico with a separate roof (minimum dimension 1.5m) or entry pergola;
 - ◇ Verandah with a separate roof and supporting posts, pillars or piers (minimum of one third of the front elevation excluding the garage/carport, at least 1.2m in depth);
 - ◇ Balcony;
 - ◇ Blade wall in feature material (not within 1.0m of a side boundary and extends a minimum of 150mm above the top of the gutter and a minimum of 300mm forward of the roofline of the structure into which it is incorporated);
 - ◇ Secondary feature material for example timber cladding, limestone, weatherboard, stone, rammed earth, ornamental tiles (minimum 20% of the elevation);
 - ◇ Any other architectural feature that creates visual interest may also be acceptable to Satterley. Approval of alternate designs does not set a precedent.
- Where a two storey dwelling is proposed on a corner lot, the upper level elevations facing the public streets are to be of equal status to both primary and secondary streets. This principle shall also apply where a dwelling has corner frontage with a pedestrian access way or public open space.
- Walls that are greater than 9.0 metres in length and are visible from the secondary street of a corner lot shall be articulated or contain windows.
- No two adjacent homes are to be constructed with matching front façades, with the same materials and colours unless it is part of a grouped dwelling development.
- Where a lot directly abuts public open space the dwelling must provide surveillance of the public open space through the location of a major opening from a habitable room on the ground level facing the public open space. Where a two storey dwelling is proposed, surveillance from at least one habitable room on the upper floor is required to face the public open space in addition to the ground floor.
- Where a lot directly abuts public open space, the dwelling shall be set back a minimum distance of 1 metre from any public open space boundary including side boundaries.
- Ceiling height for the full width of the elevation is a minimum of 32 vertical courses (2.7m).

2.2 MATERIALS AND COLOURS

In keeping with the vision for Catalina Beach West, development will reflect the contemporary Australian beachside lifestyle through the application of a colour and material theme which responds to the coastal setting and environment (i.e. beach and bushland).

2.2.1 WALL MATERIALS AND COLOURS

Elevations fronting primary and secondary streets and public open spaces should, where possible, deliver an architectural façade with a combination of exterior materials and colours, that incorporates an 'Element of White' (including off-white in coastal hues) to reflect the coastal character of Catalina Beach West.

This 'Element of White' can be complimented by other accents or colours from the coastal colour palette (refer opposite), or with other materials or finishes.

Variations in colour and texture are promoted however they should be complimentary, taking cues from the local landscape and express individuality through carefully chosen accents.

MANDATORY REQUIREMENT FEATURE

- All dwellings shall provide an 'Element of White' (including off-white in coastal hues) to the front elevation visible from the public realm (street or open space). This may include window and door frames and/or gutters.
- All materials/finishes should be predominantly light or soft colours. The preferred colour palette (refer section 2.2.2 opposite) are examples only and are intended to guide purchasers as to the appropriate colour palette preferred. Colours are not limited to these specified.
- Bright, primary or darker colours (no darker than the colours highlighted in section 2.2.2 opposite) are not permitted.
- **At least three** of the following materials must be provided in the front elevation of your home (excludes roof, door and window treatments) each comprising no less than 15% of total front elevation wall:
 - ◇ Face brickwork;
 - ◇ Rendered brickwork;
 - ◇ Contrasting rendered brickwork;
 - ◇ Stone pattern render;
 - ◇ Feature tiling;
 - ◇ Stone cladding;
 - ◇ Timber garage door;
 - ◇ Timber cladding, weather boarding, or reconstituted materials;
 - ◇ Other materials to be approved on a case by case basis by Satterley.

Note: No colour repetition permitted.

ACCEPTABLE MATERIALS & COLOURS



'Element of White' offset by complimentary coastal colours



Coastal materiality and colours including stone and weatherboard finish.



Composite of materials and finishes with a combination of an 'Element of White'




Strong 'Element of White' colour palette

2.2.2 ROOF MATERIALS & COLOURS

In keeping with the coastal colour palette throughout Catalina Beach West, the light and soft Colorbond roof colour palette (refer opposite) is recommended. Roof colours darker than those highlighted opposite are not considered appropriate.

PREFERRED WALL COLOUR PALETTE



PREFERRED COLORBOND ROOF COLOURS



All homes at Catalina Beach West shall provide material and colour schemes at the time of application to ensure compliance with these colour palettes. Any variation to these colours will require architectural justification and approval from Satterley.

2.3 DURABILITY

Catalina Beach West encounters a high exposure to the environmental elements. In particular salt air and strong winds which can lead to the weathering and degradation of materials. Attention should be given to materials and colours selected to warrant resistance to the elements and ease of maintenance ensuring longevity.

2.4 GARAGE

Minimising the dominance of garages is an essential part of an attractive streetscape. A 5.0m setback typically provides space for a vehicle to be parked without straddling the footpath.

MANDATORY REQUIREMENTS

- The garage shall be in the same style, materials and colours as the dwelling.
- Where vehicle access is provided from a primary street, the garage is to be setback a minimum of 1.0m behind the dwelling alignment (including a porch, portico, verandah or similar).
- The width of a garage (including supporting structures) accessed from the primary street shall not exceed 50% of the frontage at the setback line as viewed from the street. This may be increased to 60% where an upper floor or balcony extends for the full width of the garage and the entrance is clearly visible from the primary street.
- Garages are to be setback a minimum distance of 4.5m from the front boundary and the setback is to be increased to 5.5m where a footpath is located within 1.0m of the front boundary.
- Garages are to be setback 1.5m from a secondary street.




2.5 ROOF COVER

Roofing is to be of scale, form and material representative of a coastal location. Contemporary and innovative roof forms including flat, skillion and curved roofs are encouraged.

Roof forms should be articulated to provide solutions to natural light, seasonal conditions (optimising winter sun and summer shade) and ventilation. Roof terraces and balconies are encouraged and can be used to maximise views of the natural bushland and the ocean.

MANDATORY REQUIREMENTS

- A minimum eaves overhang of 450mm to front elevation (including the garage), a minimum gable overhang of 300mm to protect walls and windows from the summer sun and to improve the aesthetics.
- Metal roofs must be non-reflective (zincalume is not permitted).
- Roof colours not permitted:
 - ◇ Black
 - ◇ Red
 - ◇ Highly variegated blends
- For conventionally pitched roofs the minimum pitch shall be 24°.
- For skillion roofs the minimum pitch is 8°.



2.6 SERVICES AND AUXILLARY STRUCTURES

Elements such as aerials, solar panels, meter boxes, air conditioners, gas and water meters and storage structures are to be considered as integral parts of the design of your home. Services shall be carefully incorporated into the dwelling and site design to be screened or located in the least visually obtrusive position.

MANDATORY REQUIREMENTS

- All pipes, wired services, clotheslines, clothes drying areas, hot water systems, refuse bin areas, air-conditioning units, meter boxes and other such service items shall be screened from public view.
- TV antennas, satellite dishes and solar hot water system panels shall be in the least obtrusive location from the public view. It is preferred that they are parallel with the slope of the adjacent roof. Tanks associated with solar hot water systems are not permitted on the roof.
- Photo-voltaic panels are not to be visually obtrusive from the primary street.
- Letterboxes are to be integrated into a front fence, a masonry pier or a planter and shall match or complement the home. Metal supporting posts are not permitted.



2.7 FENCING

Walls and fences define the boundary between the home and the public domain and contribute to the quality, character and identity of the street. The composition of fences and walls should provide a balance between opacity and transparency, with materials and colours that convey the contemporary coastal character of Catalina Beach West.

It is preferred that no wall or fence is constructed between the dwelling and the primary street (with the exception of retained or cottage lots where Estate approved open rail fencing is permitted). However, a low wall or fence (up to 1.0 metre high) can be used to define the front boundary. Any such fence should return along the side boundaries to the line of the building façade.

Should fencing be provided by Satterley for a particular lot, the fence is not to be removed or modified (including painted or rendered) without prior written consent from Satterley.



MANDATORY REQUIREMENTS

- Where fencing forward of the building line is supported, the fencing is to be a maximum of 1.0 metre in height and must return along the side boundaries to the building line then slope or step up to the side boundary fence height of 1.8m. All fencing must comply with the sight lines requirements of the Residential Design Codes.
- Primary Street fencing shall be of a high standard and be constructed in materials that complement the materials and colours of the home. Satterley encourages masonry fences that can be face brick, stone, rendered or bagged, infill panelling that is timber, glass or stainless steel wire and turnbuckles.
- Driveway gates are not permitted.
- Fibre cement and sheet metal front fences are not permitted.
- Secondary street fences are to be a maximum height of 1.85m above the ground level measured from inside the lot. They are to be masonry (limestone render on both sides) with masonry piers (subject to approval by Satterley). Fibre cement and sheet metal fences are not permitted.
- Where a lot abuts public open space, visually permeable fencing (as defined in the R-Codes) shall be provided along any public open space boundary (side boundaries excluded)

Note: All primary and secondary street fencing requires approval from Satterley prior to construction. Note: A boundary fencing voucher is available from Satterley – conditions apply.

2.8 LANDSCAPING

A high standard of landscaping is encouraged at Catalina Beach West. To assist residents with their landscaping, Satterley offers a waterwise landscaping package (conditions apply). For more information visit www.satterley.com.au/catalina. Included in this package are waterwise plants, irrigation and a street tree (3 trees for corner lots). Residents are encouraged to take pride in their properties and continually maintain their gardens.

Home Owners and residents are advised that the following actions are not acceptable within Catalina Beach West:

- Hardscaping of the verge;
- Removal of the street tree;
- Preventing the street tree from being installed; and
- Installing turf to more than 50% of the total area between the building and the street.



3 SITE PLANNING

This section includes recommendations for passive solar design where dwelling living spaces and outdoor living areas can be warmed by the winter sun and natural ventilation and cooling of spaces by summer breezes. The key to successfully achieving these aims is to ensure the correct orientation of the main living spaces and associated major openings of the dwelling and main outdoor living area on the lot.

Whilst not mandatory, the Home Owner is encouraged to discuss the items below with the builder or architect when designing the home.

3.1 PASSIVE SOLAR DESIGN

The location of living spaces and outdoor living areas, as well as the provision of windows and openings on the southern interface, allows natural warming from the winter sun and ventilation and cooling by summer breezes. The orientation of the lots within the estate has been considered to provide maximum natural light, views and cooling breezes to help keep homes warmer in winter and cooler in summer, with less reliance on mechanical devices such as air conditioning.

RECOMMENDATIONS

- Internal living areas and outdoor living areas should be located on the northern side of the dwelling to capture the benefits of passive solar design.
- Glazing to the north should be maximised in order to harness the solar gain possible in winter (Note: Shade devices are required for solar protection during the summer months).
- Design the internal layout of the dwelling to create natural breezeways. Locate windows and doors of habitable rooms of the dwelling opposite each other to allow for through ventilation in the dwelling and through the main outdoor living area.
- Locate garages or parapet walls on the western boundary to block the summer sun.
- Locate back yards / outdoor living areas to capture cooling breezes in summer.
- Install bulk insulation above ceilings and insulate walls where possible (a minimum R4.1 roof insulation and R2.8 wall insulation).
- Include sun control devices such as awnings or shade devices to allow sunlight into the home during winter and to provide shade in summer.



4 ENVIRONMENTAL PERFORMANCE

Improving the performance of the home through environmentally sustainable design is a major focus for the development of Catalina Beach West. Sustainable living practices in the design of the home and outdoor areas should help to reduce the consumption and cost of household energy and water. Minimising energy consumption of households is an important contribution to reducing greenhouse emissions that contribute to climate change.

MANDATORY REQUIREMENT:

- Homeowners are required to install high WELS (Water Efficiency Labelling Scheme) rated fixtures, fittings and appliances.
 - ◇ Minimum 3 star shower head
 - ◇ Minimum 4 star toilet
 - ◇ Minimum 6 star rated taps
 - ◇ Minimum 6 star dishwasher
 - ◇ Minimum 4 star washing machine

Note: a \$1,000 rebate is available from the Tamala Park Regional Council (TPRC) for high WELS rated fixtures fittings and appliances – conditions apply.

RECOMMENDATIONS

- Incorporate additional shade devices that allow northern winter sun in to living areas and the outdoor living area and prevent summer sun access.

Shade devices include pergolas, deciduous vegetation and awnings.
- Minimise the number and size of openings to the west and east and provide additional shade devices.
- Install high energy star-rated electrical appliances (such as the fridge, freezer, television, air conditioner, etc.)
- Install fluorescent or LED lighting and ceiling sweep fans where possible.
- Where air conditioners are to be installed homes are encouraged to have an inverter type system with a minimum 6 Star energy rating.
- Install a heat pump or roof mounted solar hot water system with the storage tank installed at ground level or a 5 star energy rated instant gas hot water system.
- Install roof mounted photo voltaic cells

5 APPENDICES

5.1 CHECKLIST OF MANDATORY REQUIREMENTS

This checklist must be filled out by the builder and submitted with the plans for Satterley's approval.

MANDATORY REQUIREMENT		
1	ELEVATIONS	A minimum of three architectural features must be used in the primary street elevation (excludes windows and doors).
2		Where a two storey dwelling is proposed on a corner lot, the upper level elevations facing the public streets are to be of equal status to both primary and secondary streets. The same applies where a dwelling has corner frontage with a pedestrian access way or public open space. *
3		Walls that are greater than 9.0 metres in length and are visible from the secondary street of a corner lot shall be articulated or contain windows. *
4		No two adjacent homes are to be constructed with matching front façades, with the same materials and colours unless it is part of a grouped dwelling development. *
5		Where a lot directly abuts public open space the dwelling must provide surveillance of the public open space through the location of a major opening from a habitable room on the ground level facing the public open space. Where a two storey dwelling is proposed, surveillance from at least one habitable room on the upper floor is required to face the public open space in addition to the ground floor. *
6		Where a lot directly abuts public open space, the dwelling shall be set back a minimum distance of 1 metre from any public open space boundary including side boundaries. *
7		Ceiling height for the full width of the elevation is a minimum of 32 vertical courses (2.7m).



8	MATERIALS AND COLOURS	All dwellings shall provide an 'Element of White' (including off-white in coastal hues) to the front elevation visible from the public realm (street or open space). This may include window and door frames, downpipes and/or gutters.	*
9		All materials/finishes should be predominantly light or soft colours. The preferred colour palette (opposite) are examples only and are intended to guide purchasers as to the appropriate colour palette preferred. Colours are not limited to these specified.	*
10		All materials/finishes should feature light colours (bright or primary colours are not permitted). All colours and finishes are to be included with the submission for developer approval.	*
11		Bright, primary or darker colours (no darker than charcoal) are not permitted.	
12		At least three of the alternate materials must be provided in the front elevation of your home (excludes roof, door and window treatments) each comprising no less than 15% of total front elevation wall (refer section 2.2.1 for choice of materials).	
13	GARAGE	The garage is to be in the same style, materials and colours as the dwelling.	*
14		Where vehicle access is provided from a primary street, the garage is to be setback a minimum of 1.0m behind the dwelling alignment (including a porch, portico, verandah or similar).	*
15		The width of a garage (including supporting structures) accessed from the primary street shall not exceed 50% of the frontage at the setback line as viewed from the street. This may be increased to 60% where an upper floor or balcony extends for the full width of the garage and the entrance is clearly visible from the primary street.	*
16		Garages are to be setback a minimum distance of 4.5m from the front boundary and the setback is to be increased to 5.5m where a footpath is located within 1.0m of the front boundary.	*
17		Garages are to be setback 1.5m from a secondary street.	*



18	ROOF	A minimum eaves overhang of 450mm to front elevation (including the garage), a minimum gable overhang of 300mm to protect walls and windows from the summer sun and to improve the aesthetics. Roofs without eaves are not permitted to elevations facing the public realm (street, PAW, POS).	*
19		Metal roofs must be non-reflective (zincalume is not permitted).	*
20		Roof colours not permitted: black, red, highly variegated blends	*
21		For conventionally pitched roofs the minimum pitch shall be 24°, for skillion roofs the minimum pitch is 8°.	*
22	SERVICES AND AUXILIARY STRUCTURES	All pipes, wired services, clotheslines, clothes drying areas, hot water systems, refuse bin areas, air-conditioning units, meter boxes and other such service items shall be screened from public view.	*
23		TV antenna and satellite dishes shall be in the least visually obtrusive location from the public view (a rear lane is exempt).	*
24		Solar hot water system panels shall be in the least obtrusive location from the public view. It is preferred that they are parallel with the slope of the adjacent roof. Tanks associated with solar hot water systems shall be screened from public view.	*
25		Photo-voltaic panels shall not be visible from the street and are to be located to protect the visual amenity of surrounding properties.	*
26		Letterboxes are to be integrated into a front fence, a masonry pier or a planter and shall match or complement the home. Metal supporting posts are not permitted.	*



27	FENCING	Where fencing forward of the building line is supported, the fencing is to be a maximum of 1.0 metre in height and must return along the side boundaries to the building line then slope or step up to the side boundary fence height of 1.8m (excluding Estate provided fencing).	*
28		All primary street fencing shall be of a high standard and be constructed in materials that complement the materials and colours of the home. Satterley encourages masonry fences that are face brick, stone or rendered and infill panelling that is timber, glass or stainless steel wire and turnbuckles.	*
29		Driveway gates are not permitted.	*
30		Fibre cement, Colorbond or similar solid metal front fences are not permitted.	*
31		Secondary street fences are to be a maximum height of 1.85m above the ground level measured from inside the lot. They are to be masonry (limestone render on both sides) and can include some form of infill panelling with masonry piers (subject to approval by Satterley. Colorbond is not permitted. In instances where a secondary street fence is proposed above a retaining wall, the fence is required to be articulated with the preferred method being infill panelling from 1.2m – 1.8m.	*
32	ENVIRONMENTAL PERFORMANCE	High WELS rated fixtures, fittings and appliances installed.	*

The Home Owner or Builder shall email building plans (refer to Section 1.3 Documentation) for assessment and approval by Satterley to: plans@satterley.com.au



Design Guidelines

1. Buyer’s acknowledgment

The Buyer acknowledges and agrees that it has received a copy of the Catalina Beach West Residential Design Guidelines and that it is required to comply with the Building Guidelines

Signed by the Buyer:

Buyer Signature

Buyer Signature

Date

Date